
SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Product Name: NEUTRACLEAN PLUS
- UFI: JKTF-P0FH-E00W-0EC5

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Detergent for professional use.

1.3 Details of the supplier of the safety data sheet

- Name of Supplier: QJS (UK) Ltd
- Address of Supplier: Saxilby Enterprise Park, Skellingthorpe Road, Lincoln, LN1 2LR, United Kingdom
- Telephone: +44 (0) 1522 703703 (Office hours: 07:30 - 16:30 hours)
- Responsible Person: Dan Turner
- Website: www.foodclean.com
- Email: sales@foodclean.co.uk

1.4 Emergency telephone number

- Emergency Telephone: +44 (0) 1978 434877 (Out of hours)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

- CLP: Eye Dam. 1

2.2 Label elements

- Signal Word: Danger

Hazard statements

Causes serious eye damage.
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Wear protective gloves/protective clothing/eye protection/face protection.
Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards

SECTION 2: Hazards identification (....)

- Contains: Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts
-

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

CAS Number: 68411-30-3

EC Number: 270-115--0

REACH Registration Number: Not available

Concentration: 1 - 10%

Specific Concentration Limits: not applicable

M factor: Not available

Acute toxicity estimate: Not available

Categories: Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

CAS Number: 68891-38-3

EC Number: 500-234-8

REACH Registration Number: 01-2119488639-16-0020

Concentration: 1 - 10%

Specific Concentration Limits: not applicable

M factor: Not available

Acute toxicity estimate: Not available

Categories: Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3

Symbols: GHS05

H Statements: H315;H318;H412

Alcohols, C12-13, branched and linear, ethoxylated

CAS Number: 160901-19-9

EC Number: 931--954---4

REACH Registration Number: Not available

Concentration: <1%

Specific Concentration Limits: not applicable

M factor: Not available

Acute toxicity estimate: Not available

Categories: Eye Dam. 1, Aquatic Chronic 3

SECTION 4: First aid measures

4.1 Description of first aid measures

- After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water

SECTION 4: First aid measures (....)

- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes
- If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label
- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)
- If skin irritation or rash occurs: Get medical advice/attention.
- When in doubt or symptoms persist, seek medical attention
- Continue flushing with water until medical help arrives

4.2 Most important symptoms and effects, both acute and delayed

- Can cause damage to the eyes, skin and mucous membranes
- Possible blistering of the skin of affected areas
- Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

- In case of burns immediately cool affected skin as long as possible with cold water
 - Remove contaminated clothing immediately and drench affected skin with plenty of water
 - Obtain immediate medical attention
-

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- In case of fire use water, foam, carbon dioxide or dry agent

5.2 Special hazards arising from the substance or mixture

- No information available

5.3 Advice for firefighters

- Wear chemical protection suit and positive-pressure breathing apparatus
 - Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions
-

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Wear protective clothing as per section 8

6.2 Environmental precautions

- Do not empty into drains
- Do not flush spilt material into any public water system
- Use appropriate containment to avoid environmental contamination

6.3 Methods and material for containment and cleaning up

- Absorb spillage in suitable inert material
- Collect as much as possible in clean container for reuse or disposal
- Remove contaminated material to safe location for subsequent disposal
- Seek expert advice for removal and disposal of all contaminated materials and wastes

6.4 Reference to other sections

SECTION 6: Accidental release measures (....)

- See Section 8 for information onPPE
 - See Section 13 for waste treatment information
-

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Avoid contact with skin and eyes
- Do not breathe spray/mists
- Do not mix with any other products
- Ensure adequate ventilation
- Eyewash bottles should be available
- In case of accident by inhalation: remove casualty to fresh air and keep at rest
- Proper chemicals handling procedures should be adopted
- Do not wear contact lenses when working with this material

7.2 Conditions for safe storage, including any incompatibilities

- Keep container tightly closed, in a cool, well ventilated place
- Do not store in direct sunlight
- Protect from frost

7.3 Specific end use(s)

- No information available
-

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- No information available but must be considered harmful

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

DNEL (Industry; inhalational, long term systemic effects): 12 mg/m³
DNEL (Industry; dermal, long term systemic effects): 170 mg/kg bw/day
DNEL (Consumer; inhalational, long term systemic effects): 3 mg/kg
DNEL (Consumer; dermal, long term systemic effects): 85 mg/kg bw/day
DNEL (Consumer; oral, long term systemic effects): 0.85 mg/kg bw/day

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

DNEL (Consumer; dermal, long term local effects): 79 mg/kg
DNEL (Consumer; dermal, long term systemic effects): 1650 mg/kg bw/day
DNEL (Consumer; inhalational, long term systemic effects): 52 mg/kg
DNEL (Consumer; oral, long term systemic effects): 15 mg/kg
DNEL (Industry; dermal, long term local effects): 132 mg/kg
DNEL (Industry; dermal, long term systemic effects): 2750 mg/kg bw/day
DNEL (Industry; inhalational, long term systemic effects): 175 mg/m³

8.2 Exposure controls

- Engineering controls should be provided which maintain airborne concentrations as low as practicable
 - In case of insufficient ventilation, wear suitable respiratory equipment
 - Wear goggles giving complete eye protection
-

SECTION 8: Exposure controls/personal protection (....)

- Wear suitable gloves
 - Wear suitable protective clothing
-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state: liquid
- Colour: green
- Odour: Characteristic odour
- Melting point/Range: not applicable
- Boiling Point/Range: not available
- Flammability: Non-flammable
- pH: 6.0 - 8.0
- Solubility in water: Completely soluble in water
- Density: 1.00 +/- 0.02
- Flashpoint: >93°C

9.2 Other information

- None
-

SECTION 10: Stability and reactivity

10.1 Reactivity

- If exposed to heat, substance may discolour with time
- If exposed to light, substance may discolour with time
- No hazardous reactions known if used for its intended purpose

10.2 Chemical stability

- Considered stable under normal conditions

10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

- Keep away from frost
- Keep away from heat and sources of ignition
- Keep cool. Protect from sunlight.

10.5 Incompatible materials

- DO NOT MIX WITH ANY OTHER CHEMICALS
- Avoid contact with soft metals unless advised otherwise

10.6 Hazardous decomposition products

- Decomposition products may include considerable amounts of gas
- Decomposition products may include hydrogen

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Estimated LD₅₀ (oral) (ATE) : >2000 mg/kgEstimated LD₅₀ (dermal) (ATE) : >4000 mg/kgEstimated LD₅₀ (inhalational) (ATE) : 254.0416 mg/l/4hr (gas/vapour)

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

LD₅₀ (oral, rat): 2870 mg/kgLD₅₀ (skin, rat): >2000 mg/kg

Skin corrosion/irritation

Serious eye damage/irritation

Respiratory or skin sensitisation

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT (specific target organ toxicity) - single exposure

STOT (specific target organ toxicity) - repeated exposure

Aspiration hazard

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

IC₅₀ (algae): 29 mg/l (72 hr)EC₅₀ (daphnia): 2.9 mg/l (48 hr)LC₅₀ (fish): 1.67 mg/l (96 hr)

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

PNEC (STP): 3.43 mg/l

PNEC (Fresh water): 0.268 mg/l

PNEC (Marine water): 0.0268 mg/l

SECTION 12: Ecological information (....)

PNEC (Sediment; fresh water): 8.1 mg/kg
PNEC (Sediment; marine water): 6.8 mg/kg
PNEC (Soil): 35 mg/kg

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

PNEC (Fresh water): 0.24 mg/l
PNEC (intermittent): 0.071 mg/l
PNEC (Marine water): 0.024 mg/l
PNEC (Sediment; marine water): 0.0917 mg/kg
PNEC (Soil): 7.5 mg/kg
PNEC (STP): 10 mg/l
EC₅₀ (daphnia): 7.4 mg/l
IC₅₀ (algae): 27.7 mg/l
LC₅₀ (fish): 7.1 mg/l

Alcohols, C12-13, branched and linear, ethoxylated

IC₅₀ (algae): 140 mg/l (72 hr)
EC₅₀ (daphnia): 0.1-1 mg/l (48 hr)
LC₅₀ (fish): 0.1-1 mg/l (96 hr)

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

- miscible with water

12.5 Results of PBT and vPvB assessment

12.6 Endocrine disrupting properties

12.7 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation
- Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point
- Do not reuse empty containers without commercial cleaning or reconditioning
- This material and/or its container must be disposed of as hazardous waste

SECTION 14: Transport information

14.1 UN number or ID number

- UN No.:

SECTION 14: Transport information (....)

14.2 UN proper shipping name

- Proper Shipping Name:

14.3 Transport hazard class(es)

- Hazard Class:

14.4 Packing group

- Packing Group:

14.5 Environmental hazards

14.6 Special precautions for user

- Contains:
- Tunnel Bulk Restriction Codes: D

14.7 Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- This Safety Data Sheet is provided in compliance with the EC Directive 1907/2006, 1272/2008, 2015/830 and 2020/878
- Ingredients according to EC Detergents Regulation 648/2004
- Nonionic surfactant: <5%
- Anionic surfactant: <5%
- Phosphate: <5%

15.2 Chemical safety assessment

- A chemical safety assessment is not required under REACH

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H315: Causes skin irritation. H318: Causes serious eye damage. H412: Harmful to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

--- end of safety datasheet ---
